

50th ICAR



FARRIER TOOLS CATALOGUE



"Here in Maniago the art of forging knives has ancient roots.

Our family, the Grisostolo family, since the foundation by our father, Giusto Grisostolo, Giovanni and Romano Antonini, has carried on this tradition. To this day, our craftsmanship allows us to make a difference in the world."

Gloriana Grisostolo, ICAR CEO



www.icarforgiati.it

In 2012 our company decided to undertake a project creating **ICAR FARRIER TOOLS** with the intent to create products of **high quality** that would satisfy the needs of the farriers.

Their feedback, together with the imaginations of our designers, let us reach the highest level of **quality recognized worldwide.**

ICAR

*Roots in the past
Looking to the future
Feet in the present*



50 years together
to offer you the best



Calibration points for horseshoes holes	
Multiple jaws	
Hot drop forged	
Ergonomic handles	
New bolt design	
Hand sharpened	
High carbon steel	
Hot drop forged aluminum	
Knurling	
Cleaning hook	
High penetration cutting edge	
Magnets included	
Interchangeable blades	
For cattle models	
Ergonomic grip handles	
Cherry wood handles	
Mahogany wood handles	
Kotibé wood handles	
American hickory handles	
Balanced	
Differential hardness treatment	
Stainless steel	
Shock-absorbing handle EVA (ethylene vinyl acetate)	
Sterilizable in autoclave	

The new catalog **ICAR** for FARRIERY

Within this catalog you will find the **ICAR** tools for farriery, created with European materials of the highest quality and hot drop forged with the experience of the generations in the craftsmanship.

INDEX

NIPPERS

Hoof Nippers	pages	4-7
Nail Cutters	pages	8-10
Pull Offs	page	11
Clinchers	pages	12-14
Crease Nail Puller	page	14

PLIERS

Hoof Testers	page	16
Hot fit Tongs	page	17
Horseshoes Spreader	page	18
Fire Tongs	page	18

KNIVES

Classic and Knifergo	pages	20-21
Pvf	pages	22-23
Vet and Cattle	pages	24-25
Toeing Knives	page	26

GOUGES and CLINCH CUTTERS

Gouges	pages	28-29
Clinch Cutters	page	29

HAMMERS

Forging Hammers	pages	32-34
Driving Hammers	page	34

ACCESSORIES

Shears	page	36
Hoof Pick	page	37
Derby Trekking Knife	page	37
Special Editions	page	38
Replacement Parts	pages	39-40

To provide the **highest resistance** to the mechanical stress, we make the **ICAR nippers by hot drop forging utilizing only the best European steel.**

The design of our nippers has been studied in minute detail to **guarantee comfort**, the ergonomic handles **allow heavy use with minimum effort.**

Here at ICAR we obtain a **very high penetration, neat and long-lasting cutting edge**, thanks to the **hardness treatments of the materials.** We have **re-designed a new bolt** to minimize any play in the jaws and achieve the highest possible **precision blade cut.**

We merge the **high-tech CNC** with the meticulous **hand finishing** to guarantee nippers of the **best quality.**



HOOF NIPPERS



Hot drop forged



Ergonomic handles



New bolt design



High penetration cutting edge



Magnets included



Knurling



Cleaning hook



Differential hardness treatment

HOOF NIPPERS

NAIL CUTTERS

PULL-OFFS

CLINCHERS

CREASE NAIL PULLER





HOOF NIPPER *Race Track*

Available versions:

Art. 4001/12" RT
Length 305 mm
Weight ~ 660 gr


Art. 4001/14" RT
Length 350 mm
Weight ~ 720 gr



HOOF NIPPER *Mid-Size Head*

Available versions:

Art. 4004/14"
Length 350 mm
Weight ~ 730 gr





HOOF NIPPER

Classic

Available versions:

Art. 4001/14"

Length 350 mm

Weight ~ 790 gr

Art. 4001/15"




Length 375 mm

Weight ~ 680 gr

Art. 4001/16"

Length 405 mm

Weight ~ 760 gr





maximum gap
22 mm



HOOF NIPPER **Foal 10"** with spring

Available versions:


Art. 4009/10"

Length 250 mm

Weight ~ 610 gr



55 mm
35 mm
20 mm



38 mm
48 mm

NIPPER **Half Round** narrow head 3/8"

Available versions:

Art. 4010/12" 3/8"


Length 305 mm

Weight ~ 570 gr



9 mm
22 mm

52 mm
32 mm
17 mm



38 mm
65 mm



NIPPER


Half Round 3/8"

pointed jaws

Available versions:

Art. 4010/12" 3/8 PJ

Length 305 mm
Weight ~ 570 gr



NIPPER

Half Round 12"-14"


Available versions:

Art. 4010/12"

Length 305 mm
Weight ~ 620 gr

Art. 4010/14"

Length 350 mm
Weight ~ 670 gr





NIPPER

Nail Cutters

Available versions:

Art. 4006/10"

Length 255 mm

Weight ~ 550 gr

Art. 4006/12"




Length 305 mm

Weight ~ 630 gr

Art. 4006/14"

Length 350 mm

Weight ~ 710 gr





NIPPER

Nail Cutters with magnets

Available versions:

Art. 4006/10" MAG

Length 255 mm

Weight ~ 550 gr

Art. 4006/12" MAG


Length 305 mm

Weight ~ 630 gr

Art. 4006/14" MAG

Length 350 mm

Weight ~ 710 gr








NIPPER
Nail Cutters
with magnets
1 anvil

Available versions:



Art. 4006/12" AM
Length 305 mm
Weight ~ 610 gr



NIPPER
Nail Cutters
with magnets
2 anvils

Available versions:

Art. 4006/12" 2AM
Length 305 mm
Weight ~ 610 gr





NIPPER

Pull-Offs

3 uses pull offs

Unshoeing
spreading
nail cutting

Available versions:

Art. 4002/12"




Length 305 mm

Weight ~ 680 gr

Art. 4002/14"

Length 350 mm

Weight ~ 760 gr



NIPPER

Pull-Offs

4 uses pull offs

Unshoeing
spreading
nail cutting
hoof cleaning

Available versions:

Art. 4003/12"



Length 305 mm

Weight ~ 700 gr

Art. 4003/14"

Length 350 mm

Weight ~ 780 gr







CLINCHER *Dragon 2.0* draft horses

Available versions:

Art. 4007/14" DH

Length 345 mm

Weight ~ 710 gr





CLINCHER *Dragon 2.0* quarter horses

Available versions:

Art. 4007/14" QH

Length 345 mm

Weight ~ 710 gr







CLINCHER
Dragon 2.0
race horses

Available versions:



Art. 4007/14" RH
Length 345 mm
Weight ~ 690 gr



CLINCHER
Dragon 2.0
low nails

Available versions:

Art. 4107/12" LN
Length 305 mm
Weight ~ 630 gr





NIPPERS
CLINCHERS



NIPPERS
CREASE NAIL PULLER



CLINCHER *Dragon 2.0* "S" Line

Available versions:

Art. 4007/14" QH "S"


Length 340 mm

Weight ~ 710 gr

Art. 4007/14" RH "S"

Length 340 mm

Weight ~ 690 gr




NIPPER *Crease Nail Puller*

Available versions:

Art. 4011/12"

Length 305 mm

Weight ~ 520 gr



To provide **the highest resistance** to the mechanical stress, we make the **ICAR pliers** by **hot drop forging** utilizing only **the best European steel**.

The design of our pliers is being studied in the smallest details to **guarantee comfort**.


The ergonomics handles allow an intensive utilization with **minimum effort**, the tips are designed for an **optimal grip**.

We have **re-designed a new bolt** to minimize the play in the jaws.

Here at ICAR we merge the **high-tech CNC** with **the meticulous hand** finishing to guarantee pliers of **the best quality**.



PLIERS



Hot drop forged



Ergonomic handles



New bolt design



Differential hardness treatment



Knurling



Calibration points for horseshoes hole



Multiple jaws

HOOV TESTERS

HOT FIT TONGS

HORSESHOES SPREADER

FIRE TONGS



PLIER

Hoof Testers 2.0

Available versions:

Art. 4008/16"

Length 405 mm

Weight ~ 780 gr

Art. 4008/19"

Length 485 mm

Weight ~ 970 gr

4008/16"



10
mm


4008/19"



15
mm

4008/16": 120 mm

4008/19": 135 mm




4008/16":
140 mm

4008/19":
165 mm

4008/16":
265 mm

4008/19":
320 mm

65 mm





PLIER


Hot Fit Tongs straight tips

Available versions:

Art. 4005/13" ST

Length 330 mm

Weight ~ 590 gr



PLIER


Hot Fit Tongs curved tips

Available versions:

Art. 4005/13" CT

Length 330 mm

Weight ~ 590 gr







PLIERS HORSESHOES SPREADER



PLIER *Horseshoes Spreader*

Available versions:

Art. 4012/15"
Length 375 mm
Weight ~ 880 gr



PLIERS FIRE TONGS

FIRE TONGS *Firex*

Available versions:

Art. 4300/16" 1/8"

Art. 4300/16" 1/4"

Art. 4300/16" 5/16"

Art. 4300/16" 3/8"

Art. 4300/16" 1/2"

Length 410 mm
Weight ~ 720 gr

4300/16" 1/8"



4300/16" 1/4"



4300/16" 5/16"





4300/16" 3/8"



4300/16" 1/2"



410
mm



From the **best quality of European steel**, we produce the **ICAR knives** for the **deepest cut and durability**, **handcrafted sharpened and inspected one at a time**.

The design of the handle allows a **perfect grip** for any type of hand, lightness and ergonomics allow a comfortable utilization to produce **neat and very precise cuts**. The blade design, the processing and hand sharpening give **long lasting efficiency and superior quality to our knives**.

The "VET" line is designed to be safely **sterilized in autoclave**.



KNIVES



Hot drop forged



Hand sharpened



Interchangeable blades



For cattle models



High penetration cutting edge



High carbon steel



Sterilizable in autoclave



Stainless steel



Ergonomic grip handles



Shock-absorbing handle EVA (ethylene vinyl acetate)



Hot drop forged aluminum



Mahogany wood handles



Cherry wood handles



Kotibé wood handles

CLASSIC and KNIFERGO

PVF

VET and CATTLE

TOEING KNIVES





HOOF KNIFE *Classic*

Available versions:

straight blade

Art. 4020/21 R

Art. 4020/21 L
Fixed Blade

Art. 4019/21 R

Art. 4119/21 L
Length 210 mm
Weight ~ 120 gr

Interchangeable Blade

drop blade

Art. 4025/21 R

Art. 4125/21 L
Fixed Blade

Art. 4026/21 R

Art. 4126/21 L
Interchangeable Blade



HOOF KNIFE *Loop Blade*

Available versions:

37 mm



Art. 4029/22

Length 210 mm
Weight ~ 120 gr

50 mm

Art. 4028/22

Length 210 mm
Weight ~ 120 gr





HOOF KNIVES

CLASSIC and KNIFERGO

HOOF KNIFE

Loop Blade Abscess

Available versions:

11 mm

19 mm

Art. 4027/19-11


Length 190 mm

Weight ~ 85 gr

Art. 4027/19-19

Length 190 mm

Weight ~ 85 gr



HOOF KNIFE

knifergo

Available versions:

straight blade

drop blade

Art. 4021/21 R

Art. 4121/21 L

Fixed Blade

Art. 4022/21 R

Art. 4122/21 L

Length 210 mm

Weight ~ 120 gr

Interchangeable Blade

Art. 4023/21 R


Art. 4123/21 L

Fixed Blade

Art. 4024/21 R

Art. 4124/21 L

Interchangeable Blade





HOOF KNIFE


Pleasant Valley Forge

wide blade

Available versions:

Art. 4052/20 R
Length 210 mm
Weight ~ 90 gr

Art. 4152/20 L
Length 210 mm
Weight ~ 90 gr



HOOF KNIFE


Pleasant Valley Forge

narrow blade

Available versions:

Art. 4051/20 R
Length 210 mm
Weight ~ 90 gr

Art. 4151/20 L
Length 210 mm
Weight ~ 90 gr





HOOF KNIFE

Pleasant Valley Forge


double cutting edge

Available versions:

Art. 4050/20

Length 210 mm

Weight ~ 90 gr



HOOF KNIFE

Pleasant Valley Forge


hot drop forged loop

Available versions:

Art. 4053/21

Length 210 mm

Weight ~ 120 gr





HOOF KNIFE
Vet 2.0
straight blade

Available versions:

Art. 4066/21 R

Art. 4166/21 L

Length 210 mm

Weight ~ 210 gr

Interchangeable Blade

HOOF KNIFE
Vet 2.0
drop blade

Available versions:

Art. 4067/21 R

Art. 4167/21 L

Length 210 mm

Weight ~ 210 gr

Interchangeable Blade

HOOF KNIFE
Vet 2.0
hot drop forged loop



Available versions:

Art. 4069/21

Length 190 mm

Weight ~ 210 gr

Interchangeable Blade





HOOF KNIVES

VET and CATTLE

HOOF KNIFE

Vet 2.0

loop blade abscess

Available versions:

11 mm

Art. 4068/19-11

Length 210 mm

Weight ~ 210 gr

Interchangeable Blade


19 mm

Art. 4068/19-19

Length 210 mm

Weight ~ 210 gr

Interchangeable Blade



HOOF KNIFE

Classic for Cattle

corrective trimming

Available versions:

Art. 4055/21 R

Art. 4155/21 L

Length 210 mm

Weight ~ 120 gr

Fixed Blade


Art. 4056/21 R

Art. 4156/21 L

Length 210 mm

Weight ~ 120 gr

Interchangeable Blade





TOEING KNIFE *Straight Blade*

Available versions:

Art. 4086/36 cm

Length 360 mm

Weight ~ 200 gr

Art. 4086/28 cm

Length 280 mm

Weight ~ 140 gr



TOEING KNIFE *Rounded Tips*

Available versions:

Art. 4087/36 cm



Length 360 mm

Weight ~ 200 gr

Art. 4087/28 cm

Length 280 mm

Weight ~ 140 gr





Thanks to a design studied for a **comfortable handling**, the ICAR gouges and the clinch cutters are ergonomics and adapt to any type of hand.

GOUGES and CLINCH CUTTERS

We wanted to revise our gouges to make it even **more neat, precise and appealing**, additionally the different width of the groove allows you to choose the more adept model depending on the dimension of the nail.

The **ergonomic handles EVA and mahogany wood** are excellent materials skid-resistant, sweat-resistant and shock-absorbing.

To permit the highest resistance to mechanical stress, the ICAR clinch cutter is realized with **hot drop forging** utilizing the **best European steel only**.

We merge the **top CNC technology** with the **meticulous hand finishing** to guarantee our customers gouges and clinch cutters of the **best quality**.



Hot drop forged



High carbon steel



Stainless steel



High penetration cutting edge



Ergonomic grip handles



Mahogany wood handles



Shock-absorbing handle EVA (ethylene vinyl acetate)



GOUGES

CLINCH CUTTERS



Gouge Johnny

Available versions:

4 mm

5 mm

Art. 4090/16 R

Art. 4090/16 R

Art. 4190/16 L

Art. 4190/16 L

Length 160 mm

Length 160 mm

Weight ~ 180 gr

Weight ~ 180 gr



160
mm

Gouge Black Panther

Available versions:

4 mm

5 mm

Art. 4093/20 R

Art. 4093/20 R

Art. 4193/20 L


Art. 4193/20 L

Length 200 mm

Length 200 mm

Weight ~ 200 gr

Weight ~ 200 gr



200
mm



GOUGES



CLINCH CUTTER

Gouge

Johnny 2.0

Available versions:

4 mm

Art. 4092/20 R

Art. 4192/20 L

Length 200 mm

Weight ~ 160 gr


5 mm

Art. 4092/20 R


Art. 4192/20 L

Length 200 mm


Weight ~ 160 gr



4 mm



5 mm



200 mm



Clinch Cutter

Available versions:

Art. 4091/16 R


Length 170 mm

Weight ~ 240 gr

Art. 4191/16 L

Length 170 mm

Weight ~ 240 gr



30 mm

140 mm



RIGHT CUT, RIGHT TASTE



ICAR, Superior Quality!

The strength in our work starts from years of experience and from the capacity of understanding the specific needs of our customers.



We create **ICAR super balanced hammers** with the process of **hot drop forging**, which guarantees a **high resistance** to mechanical stress.

The working process and the **super balance** guarantee an optimum and comfortable control in the utilization of our hammers.

For an ideal handling, firm and secure, because of the ergonomic design, the handle is in **American hickory**, a selected wood for its efficiency in **absorbing the vibrations and for being anti-sweat**.

The **easy magnet**, that our driving hammers are provided, allows to pick nails from a distance.

We merge the **top CNC technology** with the **meticulous hand finishing** to guarantee our customers hammers of the **best quality**.



HAMMERS



Hot drop forged



Ergonomic handles



Balanced



American hickory handles



Magnets included

FORGING HAMMERS

DRIVING HAMMERS



HAMMERS *For Forging*

Available versions:

Art. 4200/1½ Lb 700

Length 440 mm

Weight ~ 700 gr

Art. 4200/1¾ Lb 800

Length 440 mm

Weight ~ 800 gr

Art. 4200/2 Lb 900

Length 440 mm

Weight ~ 900 gr


Art. 4200/2¼ Lb 1000

Length 440 mm

Weight ~ 1000 gr

4200/1½ Lb 700

94 mm



4200/1¾ Lb 800

99 mm




4200/2 Lb 900

109 mm



4200/2¼ Lb 1000

117 mm



440 mm






FORGING HAMMER *Cross Pein*

Available versions:


Art. 4202/13/4 Lb 800
Length 440 mm
Weight ~ 800 gr



FORGING HAMMER *Straight Pein*

Available versions:

Art. 4203/13/4 Lb 800
Length 440 mm
Weight ~ 800 gr





HAMMERS
FORGING




HAMMERS
DRIVING



FORGING HAMMER *Clipping*

Available versions:

Art. 4201/2 Lb 900
Length 440 mm
Weight ~ 900 gr



440
mm




HAMMER *Driving*

Available versions:

Art. 4250/10 oz.
Length 365 mm
Weight ~ 285 gr

Art. 4250/12 oz.
Length 365 mm
Weight ~ 340 gr



4250/10 oz.
17 mm

4250/12 oz.
21 mm

365
mm

The **ICAR accessories** are being produced utilizing the **best quality of European steel**.

To reach an **exceptional edge, sharp and long-lasting**, we hot drop forge the ICAR pad scissors, which work well **cutting plastic or leather**.

The **shape of the blade** permits a reach a **round cut** following the shape of the pad.

The **comfortable grip for an long lasting use** is guaranteed by the handles coated by red PVC.



ACCESSORIES



Hot drop forged



Hand sharpened



High penetration cutting edge



High carbon steel



Stainless steel



Sterilizable in autoclave



Ergonomic grip handles



Mahogany wood handles

SHEARS

HOOF PICK

DERBY TREKKING KNIFE

SPECIAL EDITIONS

REPLACEMENT PARTS




SHEARS
HORSE HAIR

SCISSORS

Horses Hair

Available versions:

Art. 2070/6" IS
Length 155 mm
Weight ~ 54 gr



155
mm




SHEARS
PAD

PAD

Leather Shears

Available versions:

Art. 2298/9" BPVC
Length 230 mm
Weight ~ 350 gr



230
mm



HOOF PICK



DERBY TREKKING KNIFE


Hoof Pick

Available versions:

Art. 4040/24

Length 230 mm

Weight ~ 140 gr




Derby Trekking Knife

Available versions:

Art. MC87/2

Length 197 mm

Weight ~ 160 gr





Decorated Handles

Decorative sublimation process

With this special treatment of sublimation we can offer our clients decorated articles with plenty of designs, other than the ones that you can see in this selection.



Available on:

Hoof nippers • Nail nippers • Pull Offs
Crease Nail puller • Clinchers • Hoof Testers



Gold

24K Gold Plated

We realize plating in gold 24K for your special occasions.



Available on:

Hoof nippers • Nail nippers • Pull offs
Crease Nail puller • Clinchers • Hoof
testers • Forging and driving hammers

**CLASSIC BLADE**High grade
carbon steel**Art. 4022B21 R**
Art. 4122B21 LLength 130 mm
Cutting edge 60 mm
Weight ~ 40 gr**CLASSIC BLADE**Stainless steel
blade**Art. 4060B21 R**
Art. 4160B21 LLength 130 mm
Cutting edge 60 mm
Weight ~ 40 gr**DROP BLADE**High grade
carbon steel**Art. 4024B21 R**
Art. 4124B21 LLength 130 mm
Cutting edge 60 mm
Weight ~ 40 gr**DROP BLADE**Stainless steel
blade**Art. 4061B21 R**
Art. 4161B21 LLength 130 mm
Cutting edge 60 mm
Weight ~ 40 gr**ABSCESS
LOOP BLADE**Forged stainless
steel blade**Art. 4068B19 19mm**Length 126 mm
Cutting edge 19 mm
Weight ~ 40 gr**ABSCESS
LOOP BLADE**Forged stainless
steel blade**Art. 4068B19 11mm**Length 126 mm
Cutting edge 11 mm
Weight ~ 40 gr**CATTLE
KNIFE BLADE**High grade
carbon steel**Art. 4056B21 R**
Art. 4156B21 LLength 130 mm
Cutting edge 67 mm
Weight ~ 40 gr**HOT DROP FORGED
LOOP BLADE**Forged stainless
steel blade**Art. 4069B21**Length 100 mm
Cutting edge 35 mm
Weight ~ 50 gr



SPARE SPRING

For Foal Nipper

Art. 1361040091

Length 165 mm
Width 10 mm
Weight ~ 10 gr



SILICONE HANDLE WRAPS

Art. 1706200250

Length 3 m
Width 25 mm
Weight ~ 50 gr



SPARE HAMMER HANDLES

in American
hickory handle

Spare Forging Hammer Handle

Length 440 mm
Wide 35 mm
Depth 23 mm
Weight ~ 220 gr

Spare Driving Hammer Handle

Length 370 mm
Wide 26 mm
Depth 19 mm
Weight ~ 280 gr

WARRANTY TERMS PROCESSING

ICAR guarantees that products are without defects in the materials and manufacture. In cases where any instrument presents any type of imperfection, this should be detected and taken to the dealer or directly to **ICAR** who will give instructions to resolve the problem after having examined the issue. In cases where the inspection reveals the product is not compliant to the quality standards, the same product will be repaired or replaced at **ICAR**'s discretion. Altered instruments, abused, utilized in an incorrect manner or simply worn out are exempted from this type of warranty.

WARNINGS

We suggest the use of protective glasses, as well as any other type of precaution necessary in a working environment. We do recommend avoiding impact between hardened parts.

SUGGESTION FOR MAINTENANCE

At the end of every working day **ICAR** tools should be well cleaned, paying close attention to removal of dirt and possible foreign material, lubricate with oil and grease.


ADDITIONAL COMMENTS/NOTES

All measurements within the catalog are approximate, therefore light variations due to the processing and hand finishing may be present.

100% MADE IN ITALY

Our instruments are manufactured entirely in our establishment located in Maniago (PN), utilizing European steel exclusively.

www.icarforgiati.it



50
*50 years together
to offer you the best*



www.icarforgiati.it

ICAR S.r.l.

Via Maniago 101
33085 **Maniago** (PN) ITALY

Phone: +39(0)427.71106

Fax: +39(0)427.700171

info@icarforgiati.it



@ICAR Srl



@ICAR_forge

